Amendments to the Claims

1. (Original) Compound of the formula

$$R \xrightarrow{H} R_{6} \xrightarrow{OH} NR_{1}R_{2}$$

$$R_{5} R_{5} NR_{3}R_{4} \qquad (I)$$

where

R₁ is a) hydrogen, hydroxyl or amino; or

b) C_1 - C_8 -alkyl, C_3 - C_8 -cycloalkyl, C_1 - C_8 -alkanoyl, C_1 - C_8 -alkoxycarbonyl, aryl- C_0 - C_4 -alkyl or heterocyclyl- C_0 - C_4 -alkyl, which radicals may be substituted by 1-4 C_1 - C_8 -alkyl, halogen, oxo, cyano, trifluoromethyl, C_1 - C_8 -alkoxy, C_1 - C_8 -alkoxycarbonyl, aryl or heterocyclyl;

 R_2 is a) C_1 - C_8 -alkyl, C_3 - C_8 -cycloalkyl, C_1 - C_8 -alkylsulphonyl, C_3 - C_8 -cycloalkylsulphonyl, aryl- C_0 - C_8 -alkylsulphonyl, heterocyclylsulphonyl, C_3 - C_{12} -cycloalkyl- C_1 - C_8 -alkanoyl, aryl- C_1 - C_8 -alkanoyl, aryl- C_3 - C_8 -cycloalkanoyl, C_1 - C_8 -alkoxycarbonyl, optionally N-mono- or N,N-di- C_1 - C_8 -alkylated carbamoyl- C_0 - C_8 -alkyl, aryl- C_0 - C_4 -alkyl or heterocyclyl- C_0 - C_4 -alkyl, which radicals may be substituted by 1-4 C_1 - C_8 -alkyl, C_3 - C_8 -cycloalkyl, C_3 - C_8 -cycloalkoxy, amino, C_1 - C_8 -alkylamino, di- C_1 - C_8 -alkylamino, C_1 - C_8 -alkoxycarbonylamino, halogen, oxo, cyano, hydroxyl, trifluoromethyl, C_1 - C_8 -alkoxy, C_1 - C_8 -alkoxycarbonyl, aryl or heterocyclyl; or

b) together with R₁ and the nitrogen atom to which they are bonded is a saturated or partly unsaturated, 4-8-membered, heterocyclic ring which may contain an additional nitrogen, oxygen or sulphur atom or an -SO- or -SO2- group, and the additional nitrogen atom may optionally be substituted by C₁-C₈-alkyl, C₁-C₈-alkanoyl, C₁-C₈-alkoxycarbonyl, aryl or heteroaryl radicals, in which case this heterocyclic ring may be part of a bicyclic or tricyclic ring system having a total of up to 16 members and the

second ring may also contain a nitrogen, oxygen or sulphur atom or an -SO- or -SO2-group, and the nitrogen atom of the second ring may optionally be substituted by C₁-C₈-alkyl, C₁-C₈-alkanoyl, C₁-C₈-alkoxycarbonyl, aryl or heterocyclyl radicals, and all ring systems mentioned may be substituted by 1-4 C₁-C₈-alkyl, halogen, hydroxyl, oxo, trifluoromethyl, C₁-C₈-alkoxy, C₁-C₈-alkoxy-C₁-C₈-alkoxy-C₁-C₈-alkoxy-C₁-C₈-alkoxy-C₁-C₈-alkoxy-C₁-C₈-alkoxy-C₁-C₈-alkoxy-C₁-C₈-alkylamino, N,N-di-C₁-C₈-alkylamino, aryl-C₀-C₄-alkyl, aryloxy-C₀-C₄-alkyl, aryl-C₀-C₄-alkyl-C₁-C₈-alkoxy, aryloxy-C₀-C₄-alkyl-C₁-C₈-alkoxy, heterocyclyl-C₀-C₄-alkyl, heterocyclyloxy-C₀-C₄-alkyl-C₁-C₈-alkoxy;

R₃ is hydrogen, C₁-C₄-alkyl, C₁-C₈-alkoxycarbonyl or C₁-C₈-alkanoyl;

 R_4 is hydrogen, C_1 - C_4 -alkyl, C_1 - C_8 -alkoxycarbonyl or C_1 - C_8 -alkanoyl;

 R_5 is in each case independently hydrogen, C_1 - C_8 -alkyl, or, together with the carbon atom to which they are bonded, are a C_3 - C_8 -cycloalkylidene radical;

R₆ is hydrogen or hydroxyl;

R, in each case independently, are 1-4 radicals selected from: hydrogen, halogen, C₁-C₈-alkyl, 3- to 8-membered cycloalkyl, polyhalo-C₁-C₄-alkyl, C_1 - C_4 -alkoxy- C_1 - C_4 -alkyl, C_1 - C_4 -alkoxy- C_1 - C_4 -alkoxy- C_1 - C_4 -alkyl, 3- to 8-membered cycloalkoxy-C₁-C₄-alkyl, hydroxyl, C₁-C₈-alkanoyIoxy-C₁-C₄-alkyl, hydroxy-C₂-C₈alkyl, C₁-C₄-alkylthio-C₁-C₄-alkyl, C₁-C₈-alkylsulphonyl-C₁-C₄-alkyl, thiazolylthio-C₁-C₄-alkyl, thiazolinylthio-C₁-C₄-alkyl, imidazolylthio-C₁-C₄-alkyl, optionally N-oxidized pyridylthio-C₁-C₄-alkyl, pyrimidinylthio-C₁-C₄-alkyl, optionally partially hydrogenated pyridyl- or N-oxidopyridyl-C₁-C₄-alkyl, C₁-C₄alkylsulphonylamino-C₁-C₄-alkyl, trifluoro-C₁-C₈-alkylsulphonylamino-C₁-C₄-alkyl, pyrrolidino-C₁-C₄-alkyl, piperidino-C₁-C₄-alkyl, piperazino-C₁-C₄-alkyl, N'-C₁-C₄alkylpiperazino-C₁-C₄-alkyl, N'-C₂-C₈-alkanoyIpiperazino-C₁-C₄-alkyl, morpholino-C₁-C₄-alkyl, thiomorpholino-C₁-C₄-alkyl, S-oxothiomorpholino-C₁-C₄-alkyl, S.S-dioxothiomorpholino-C₁-C₄-alkyl, cyano-C₁-C₄-alkyl, carboxy-C₁-C₄-alkyl, C₁-C₄alkoxycarbonyl-C₁-C₄-alkyl, carbamoyI-C₁-C₈-alkyl, N-mono- or N,N-di-C₁-C₄alkylcarbamoyl-C₁-C₄-alkyl, unsubstituted or mono-, di- or tri-C₁-C₄-alkyl-, -C₁-C₄alkoxy-, -hydroxy-, -C₁-C₄-alkylamino-, -di-C₁-C₄-alkylamino-, -halogen- or

-trifluoromethyl-substituted phenyl or naphthyl, hydroxy-C₂-C₈-alkoxy, halo-C₂-C₈-(hydroxy)alkoxy, C_1 - C_8 -alkylsulphonyl- C_1 - C_4 -(hydroxy)alkoxy, amino- C_1 - C_4 -alkyl, C₁-C₄-alkylamino-C₁-C₄-alkyl, N, N-di-C₁-C₄-alkylamino-C₁-C₄-alkyl, N-C₁-C₄alkanoylamino-C₁-C₄-alkyl, C₁-C₈-alkoxycarbonylamino-C₁-C₄-alkyl, optionally partially hydrogenated pyridyl- or N-oxidopyridyl-C₁-C₄-alkyl, piperazino-C₁-C₄-alkyl, N'-C₁-C₄-alkylpiperazino-C₁-C₄-alkyl, N'-C₂-C₈-alkanoylpiperazino-C₁-C₄-alkyl, morpholino-C₁-C₄-alkyl, thiomorpholino-C₁-C₄-alkyl, S-oxothiomorpholino-C₁-C₄-alkyl, S,S-dioxothiomorpholino- C_1 - C_4 -alkyl, amino- C_1 - C_4 -alkoxy, C_1 - C_4 -alkylamino- C_1 - C_4 alkoxy, N,N-di-C₁-C₄-alkylamino-C₁-C₄-alkoxy, C₁-C₄-alkanoylamino-C₁-C₄-alkoxy, C_1 - C_8 -alkoxycarbonylamino- C_1 - C_4 -alkoxy, C_1 - C_8 -alkanoyl- C_2 - C_4 -alkoxy which bears the alkanoyl group in a position higher than the α -position, C_1 - C_8 -alkoxy, 3- to 8membered cycloalkoxy, C₂-C₈-alkenyloxy, 3- to 8-membered cycloalkoxy-C₁-C₄-alkoxy, C_1 - C_8 -alkoxy- C_1 - C_8 -alkoxy, C_1 - C_4 -alkoxy- C_2 - C_4 -alkenyl, C_2 - C_8 -alkenyloxy- C_1 - C_4 alkoxy, C₁-C₄-alkoxy-C₂-C₄-alkenyloxy, C₂-C₈-alkenyloxy-C₁-C₄-alkyl, C₁-C₄alkylthio-C₁-C₄-alkoxy, C₁-C₈-alkylsulphonyl-C₁-C₄-alkoxy, C₁-C₄-alkylthio-C₁-C₄-(hydroxy)alkoxy, unsubstituted or mono-, di- or tri-C₁-C₄-alkyl-, -C₁-C₄-alkoxy-, -hydroxy-, -C₁-C₄-alkylamino-, -di-C₁-C₄-alkylamino-, -halo- and/or -trifluoromethylsubstituted phenyl- or naphthyl-C₁-C₄-alkoxy, polyhalo-C₁-C₄-alkoxy, optionally partially hydrogenated pyridyl- or N-oxidopyridyl-C₁-C₄-alkoxy, thiazolyl-C₁-C₄-alkoxy, optionally N-oxidized morpholino-C₁-C₄-alkoxy, thiazolylthio-C₁-C₄-alkoxy, thiazolinylthio-C₁-C₄-alkoxy, imidazolylthio-C₁-C₄-alkoxy, optionally N-oxidized pyridylthio-C₁-C₄-alkoxy, pyrimidinylthio-C₁-C₄-alkoxy, amino-C₁-C₄-alkoxy, C₁-C₄alkylamino-C₁-C₄-alkoxy, N,N-di-C₁-C₄-alkylamino-C₁-C₄-alkoxy, C₁-C₈alkanoylamino-C₁-C₄-alkoxy, C₁-C₈-alkylsulphonylamino-C₁-C₄-alkoxy, trifluoro-C₁-C₈-alkylsulphonyl-C₁-C₄-alkoxy, pyrrolidino-C₁-C₄-alkoxy, piperidino-C₁-C₄-alkoxy, cyano-C₁-C₄-alkoxy, carboxy-C₁-C₄-alkoxy, C₁-C₄-alkoxycarbonyl-C₁-C₄-alkoxy, carbamoyI-C₁-C₄-alkoxy, N-C₁-C₈-alkylcarbamoyI-C₁-C₄-alkoxy or N-mono- or N,N-di-C₁-C₄-alkylcarbamoyl-C₁-C₄-alkoxy, carboxy-C₁-C₄-alkyl, C₁-C₄-alkoxycarbonyl-C₁-C₄alkyl, carbamoyI-C₁-C₈-alkyl, N-mono- or N,N-di-C₁-C₄-alkylcarbamoyl-C₁-C₄-alkyl, $carboxy-C_1-C_4-alkoxy,\ C_1-C_4-alkoxy carbonyl-C_1-C_4-alkoxy,\ carbamoy I-C_1-C_8-alkoxy,\ carbamoy I-C_1-C_8$

N-Mono- or N,N-di- C_1 - C_4 -alkylcarbamoyl- C_1 - C_4 -alkoxy, C_1 - C_4 -alkylamino or N,N-di- C_1 - C_4 -alkylamino,

or salt or prodrug thereof, or where one or more atoms are replaced by their stable, non-radioactive isotopes, preferably pharmaceutically usable salt thereof.

- 2. (Original) Compound according to Claim 1, where
- R₁ is a) hydrogen; or
 - b) C₁-C₈-alkyl or C₃-C₈-cycloalkyl;

R₂ is a) C₁-C₈-alkyl, C₃-C₈-cycloalkyl, C₁-C₈-alkanoyl, heterocyclyl-C₁-C₈-alkanoyl, C₃-C₁₂-cycloalkyl-C₁-C₈-alkanoyl or aryl-C₁-C₈-alkanoyl, which radicals may be substituted by 1-4 C₁-C₈-alkyl, C₁₋₆-alkylamino, cyano, halogen, hydroxyl, C₁-C₆-alkanoylamino, C₁-C₈-alkoxy, oxo, trifluoromethyl or aryl; or

b) together with R₁ and the nitrogen atom to which they are bonded are a saturated or partly unsaturated, 4-8-membered, heterocyclic ring which may contain an additional nitrogen or oxygen atom, in which case the additional nitrogen atom may optionally be substituted by C₁-C₈-alkyl or C₁-C₈-alkanoyl, and this heterocyclic ring may be part of a bicyclic or tricyclic ring system having a total of up to 16 ring members and the second ring may also contain a nitrogen or oxygen atom, in which case the nitrogen atom of the second ring may optionally be substituted by C₁-C₈-alkyl or C₁-C₈-alkanoyl, and all ring systems mentioned may be substituted by 1-4 C₁-C₈-alkyl, hydroxyl, oxo, C₁-C₈-alkoxy, C₁-C₈-alkoxy, C₁-C₈-alkoxy, C₁-C₈-alkanoylamino or aryloxy-C₀-C₄-alkyl-C₁-C₈-alkoxy;

R₃ is hydrogen;

R₄ is hydrogen;

R₅ are each independently hydrogen or C₁-C₈-alkyl;

R₆ is hydrogen;

R are each independently 1-4 radicals selected from:

hydrogen, C_1 - C_8 -alkyl, halogen, trifluoromethyl, C_1 - C_4 -alkoxy- C_1 - C_4 -alkyl, C_1 - C_4 -alkoxy- C_1 - C_4 -alkoxy- C_1 - C_4 -alkoxy, C_1 - C_4 -alkoxy, or pharmaceutically usable salt thereof.

3. (Original) Compound according to Claim 1 of the formula

$$R$$
 NR_1R_2
 R_5
 NR_3R_4
(Ia)

where R, R₁, R₂, R₃, R₄ and R₅ are each as defined in Claim 1.

- Compound according to Claim 1, 4. (Original) where R₂ together with R₁ and the nitrogen atom to which they are bonded is a substituted or unsubstituted heterocyclic ring selected from pyrrolidino, piperidino, pyridinyl, piperazino, morpholino, thiomorpholino, furanyl, tetrahydrofuranyl, pyranyl, tetrahydropyranyl, thiazolyl, oxazolyl, imidazolyl, indolinyl, isoindolinyl, 2,3dihydrobenzimidazolyl, 1,2,3,4-tetrahydroquinolyl, 1,2,3,4-tetrahydroisoquinolyl, 1,2,3,4-tetrahydro-1,3-benzodiazinyl, 1,2,3,4-tetrahydro-1,4-benzodiazinyl, 3,4-dihydro-2H-1,4-benzoxazinyl, 3,4-dihydro-2H-1,4-benzothiazinyl, 3,4-dihydro-2H-1,3-benzothiazinyl, 3,4,5,6,7,8-hexahydro-2H-1,4-benzoxazinyl, 3,4,5,6,7,8-hexahydro-2H-1,4-benzothiazinyl, 9-azabicyclo[3.3.1]non-9-yl, 1-azepan-1-yl, 2,8diazaspiro[4.5]dec-8-yl, octahydroisoindol-2-yl, 4-azatricyclo[5.2.1.0^{2,6}]dec-4-yl, 3azabicyclo[3.2.1]oct-3-yl, 3,7-diazabicyclo[3.3.1]non-3-yl, 3-azabicyclo[3.3.1]non-3-yl, 8-azabicyclo[3.2.1]oct-8-yl, 3-azabicyclo[3.2.2]non-3-yl, 2,3,4,5-tetrahydro-1H-1benz[6,7-b]azepinyl and 5,6-dihydrophenanthridinyl.
- 5. (Currently amended) Compound according to one of Claims 1-4-Claim 1 for use in a method for therapeutically treating the human or animal body.
- 6. (Currently amended) Pharmaceutical preparation comprising, as an active pharmaceutical ingredient, a compound according to one of Claims 1-4 Claim 1 in free form or as a pharmaceutically usable salt.

- 7. (Currently amended) Use of a compound according to one of Claims 1 4 Claim 1 for the preparation of a pharmaceutical preparation with renin-inhibiting action.
- 8. (Currently amended) Use of a compound according to one of Claims 1—4 Claim 1 for the preparation of a pharmaceutical preparation for the treatment or prevention of hypertension, heart failure, glaucoma, cardiac infarction, kidney failure or restensis.
- 9. (New) Pharmaceutical preparation comprising, as an active pharmaceutical ingredient, a compound according to Claim 2 in free form or as a pharmaceutically usable salt.
- 10. (New) Pharmaceutical preparation comprising, as an active pharmaceutical ingredient, a compound according to Claim 3 in free form or as a pharmaceutically usable salt.
- 11. (New) Pharmaceutical preparation comprising, as an active pharmaceutical ingredient, a compound according to Claim 4 in free form or as a pharmaceutically usable salt.